Note to Instructor:

These instructions were written for the faculty and staff to use to familiarize themselves with WS_FTP Pro. The majority of the audience consists of nonspecialists and executives. Also, the age group of the audience consists of individuals who are in the range of 26-56. These instructions were written for beginners.

WS_FTP Pro for Windows 95/98/NT

The following instructions introduce you to WS_FTP Pro, a shareware program that enables you to upload and download files on the Internet, and then shows you how to perform basic tasks using WS_FTP Pro. To understand these instructions, you need an Internet account and basic familiarity with Microsoft Windows 95, 98, or NT.

What Is WS_FTP Pro?

WS_FTP Pro is a program that allows you to send (upload) and receive (download) files on the Internet. WS_FTP Pro can be used for uploading personal web pages and downloading software. Because FTP (File Transfer Protocol) can handle large files, using the WS_FTP Pro program is also a more reliable way to transfer files than using e-mail attachments.

How to Use WS_FTP Pro

Click on your Start menu, select **Programs**, then **WS_FTP Pro**.

How to Connect to an FTP Site. Before you can transfer files to or from an FTP site, you must first connect to the site.



Figure 1. Connecting to an FTP site

If you already have configured your FTP site, then from the list of configured sites (see Figure 1), select an FTP Site and click **OK**.

How to configure a new FTP site. Follow these steps to configure a new FTP site:

- 1. In WS_FTP Pro main window, click **Connect** and then click **New**.
- 2. Select FTP Site.
- 3. Enter a name for the site and click **Next**.
- 4. Enter the *Host Name* (see Figure 2) and then click **Next**.
- 5. Enter *UserID* and *Password*.
- 6. Click **Finish**.

🔥 WS_FTP Pro		- D X
Local System	New Site/Folder	
C:N Name 95 970701 Acrobat3 971024 ACROREAD 960212 bin 971104 CAKEHS 980119 dl 980904 DRIVERS 960208 emacs-19.34 971230 ep 980810 etc 971219 Eudora 970909 F-SECURE 970724 UT	Create a: Image: Create a: Image: Comment Image: Create a: Image: Create a: Image: Create a:<	P Size ChgDir MkDir View Exec Rename Delete Refresh DirInfo
! Send error: app version not supporte		
<u>C</u> onnect Ca <u>n</u> cel	LogWnd <u>H</u> elp <u>Options</u>	<u>A</u> bout E <u>x</u> it

Figure 2. Configuring a new FTP site

How to upload files to an FTP site. The main WS_FTP Pro window is divided into left and right window panes. The left half (Local System) displays the directories and files that are on the hard drive of your computer. The right half of the window displays the Remote System, in this case, your home directory on KsuMail. (See Figure 3 below.) To upload a file:

- 1. From the Local System section, find the directory containing the file you want to transfer. Then highlight the file you want to copy to your ftp directory.
- 2. On the Remote System section, double-click on your ftp directory. This will display the contents of that directory.
- 3. Click the right arrow to upload the file. Once the transfer is complete, you may need to click the **Refresh** button in the Remote System section to see the file listed.

	WS_FTP Pro ftp.ipsv	vitch.com									
PI F	Local System				[-Remote S	ite				
1	C:N			·		/Ipsw	itch/Produc	t_Dow:	nloads		·
ti N N N	▲ Name ▲ 95 ▲ Acrobat3	Date 970701 16:12 971024 11:13	Size Chg	Dir Dir		↑ 1 100 50d 100 f_x	Name keval.zip 86t16.exe	9805 9811	Date 15 13:58 04 19:26	Size 15675: 47161(ChgDir MkDir
는 HAND A HAND H	ACROREAD bin CAKEHS dl DRIVERS emacs-19.34 ep etc Eudora F-SECURE - SECURE	960212 08:27 971104 22:18 980119 21:10 980904 21:01 960208 07:21 971230 19:18 980810 20:45 971215 10:21 970909 14:13 970724 14:27	7 Vie Exx Rem 5 Dek Refr 7 Dith	w f ec f ame , esh nfo	< >	f_x ifs ifs int int int rea wha WS_ T	86t32.exe _eval.exe M_AXP.txt m_axp.zip m_x86.zip dme.txt ost.zip 20W.zip tsupg.zip FTP16.EXE	9811 9811 9712 9801 9811 9807 9812 9812 9812 9802 9804	02 17:13 03 22:45 17 21:22 28 20:28 25 14:26 23 20:23 03 09:00 03 09:00 17:47 22:00	147558 71884 442! 504349 347343 98 478826 487464 159259 47572	View Exec Rename Delete Refresh Dirlnfo
C ASCII C Binary Auto											
	<u>C</u> lose	Ca <u>n</u> cel	LogWnd		<u>H</u> elp	p	<u>O</u> ptions		<u>A</u> bout		E <u>x</u> it

Figure 3. Uploading files using WS_FTP

- 4. To disconnect from the FTP server, click the **Close** button. Click the **Exit** button to close the WS_FTP Pro program.
- 5. If you copy the wrong file to your ftp or www directory, you will need to highlight the file on the Remote System side and click the **Delete** button. Remember you may need to click on the **Refresh** button to see the file disappear.

How to download files. To download files:

- 1. Use the Local System section to choose a place for the file.
- 2. Select the file you want to download from the Remote System section.
- 3. Click the left arrow.

How to delete files. To delete a file from your FTP server, select a file in the Remote System section, and press the **Delete** button in that section of the window. To delete a file from your computer's hard drive, select a file in the Local System section, and press the **Delete** button in that section of the window.

How to create a directory for receiving files. By default, only you can upload files to your personal ftp home directory. However, you can create a directory where others can upload files. This is a convenient method of sending files back and forth. Follow these steps below to create such a directory:

- 1. Double-click on the ftp directory on the Remote System side.
- 2. Press the **MkDir** button the right side of the window. Type incoming for the directory name and click **OK**.

3. Click your right mouse button anywhere on the Remote System side to show a new menu. Select **FTP Commands** and then **SITE** from the menu.

💩 WS	_FTP Pro ftp.ip	switch.com								- D X
Local	System					Remote Site				
C:N	C:N +					/Ipswitch/Product_Downloads				
	Name	Date	Size	ChaDir	1	^ Name	Da	ate	Size	ChaDir
		070701 1/ 1		MkDir		1	000515	10.50	1.54.75	MkDir
9 🛄 9	crobat3	971024 11:1	3 _	PIKE/I		m f x86t16.exe	980515	13:58 19:26	47161	
<u>а</u> А С 1-	CROREAD	960212 08:2	27 L	View		Sort	981102	17:13 22:45	147558- 71884:	View
	AKEHS	980119 21:1	.0 -	Evec	<	Change Folder Make Folder	971217	21:22	442!	Evec
d 📄 d	II RIVERS	980904 21:0 960208 07:2	1	Beneme	>	Delete Folder	980128 3	20:28 14:26	504349' 347343:	Bename
	macs-19.34	971230 19:1	.8 –	Delete		Transfer file	980723	20:23	98:	Delete
	¦µ etc	971215 10:2	1	Befresh		Append file View file	981203	09:00 09:00	4874641	Befresh
E 📄 E	udora -SECURE	970909 14:1 970724 14:2	.3	Dirlnfo		Edit file	980219 : 980402 :	17:47 22:00	159259: 47572:	Dirlnfo
						Execute file - Rename file			تر	
			C ASCII	•	Binary	Move files				
Send error: connection reset Receive error: connection reset					chmod (UNIX)					
						Refresh list				<u>.</u>
	<u>C</u> lose	Ca <u>n</u> cel	<u>L</u> ogWnd		<u>H</u> el	P Folder list	s	About		E <u>x</u> it
Explore						ETP Commands 🔸	CWD			
							HELP			
							SYST			
							QUOTE			
							LIST			
							NLST			
							RETR STOR			

Figure 4. Creating directory for receiving files

4. Type chmod 1777 incoming and click **OK**. (This changes the permissions for this directory so that others can upload files into it.)

Here is the information you will need to give others to access your incoming directory:

- Host Name: ftp.ksumail.kennesaw.edu
- Type of connection (login): anonymous
- Initial Directory for Remote Host: *users/login_name/incoming*, where *login_name* is your KsuMail login name (for example, jsmith).